| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|--|---|---------------------|---------|------------------|
| S1 | 283 | (84/411M,411P,416,414).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/02 16:00 |
| S2 | 47 | (dampen\$3 or reduction or reduc\$3 or absorb\$3) near5 (vibrat\$3 or strik\$3 or beat\$3 or hit\$4) with (drumhead or (skin or surface) near4 drum) and (resilient or pliable or adhesive or polyurethane or flexible) with (sheet or layer or surface) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/01 11:50 |
| S3 | 17648 | (releas\$4 or peel\$3 near3 off or take near3 off) same polyurethane | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/09 14:53 |
| S4 | 57024 | "84"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/03 10:00 |
| S5 | 11 | S3 and S4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/09 14:47 |
| S6 | 4 | polyurethane with base near5 material with (surface or sheet) same cure\$3 same releas\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/09 14:57 |
| S7 | 94 | polyurethane with base near5 material with (surface or sheet) same releas\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/09 15:00 |

| S8 | 5 | S7 and (dampen\$3 or vibrat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/09 14:58 |
|-----|-----|--|---|----|-------|------------------|
| S9 | 55 | polyurethane with base near5 material with (surface) same releas\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/09 15:06 |
| S10 | 0 | polyurethane with base near5 material with (surface) same releas\$3 same flat near3 surface | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/09 15:06 |
| S11 | 3 | polyurethane with base near5 material with (surface) same releas\$3 same flat with surface | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/09 15:06 |
| S12 | 288 | (84/411M,411P,416,414).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/05/04 09:54 |
| S13 | 47 | (dampen\$3 or reduction or reduc\$3 or absorb\$3) near5 (vibrat\$3 or strik\$3 or beat\$3 or hit\$4) with (drumhead or (skin or surface) near4 drum) and (resilient or pliable or adhesive or polyurethane or flexible) with (sheet or layer or surface) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/04 09:57 |
| S14 | 2 | ("5986196").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF . | 2006/05/04 09:57 |
| S15 | 2 | ("4947166").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/11/24 08:13 |

| 646 | | ("5006406") 521 | | 00 | 055 | 2006/42/24 12 22 |
|-----|-----|---|---|------|-----|------------------|
| S16 | 2 | ("5986196").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/01 10:22 |
| S17 | 85 | (dampen\$3 or reduction or reduc\$3 or absorb\$3) near5 (vibrat\$3 or strik\$3 or beat\$3 or hit\$4 or impact\$3) with (drumhead or (skin or surface) near4 drum) and (resilient or pliable or adhesive or polyurethane or flexible or impact) with (sheet or layer or surface or patch or pad) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/01 14:01 |
| S18 | 2 | ("4325280").PN | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/01 13:50 |
| S19 | 380 | polyurethane near4 mix same (form or core or substrate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 12:07 |
| S20 | 3 | ("6806212").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/01 14:05 |
| S21 | 3 | ("5488912" "5649398" "5657595").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/12/01 14:05 |
| S22 | . 0 | ("6806212").URPN. | USPAT | OR · | OFF | 2006/12/01 14:10 |
| S23 | 2 | ("6530577").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/12/01 14:10 |
| S24 | 7 | ("3993833" "4900877" "5607167" "5657998" "5702111" "5791654" "5868399").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/12/01 14:12 |

| 605 | | | 110 000::5 | 00 | 01: | 2006/42/24 11.15 |
|-----|-------|--|---|----|-----|------------------|
| S25 | 0 | S24 and polyurethane near4 mix | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/01 14:13 |
| S26 | 4 | S24 and polyurethane | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/01 14:13 |
| S27 | 0 | ("6530577").URPN. | USPAT | OR | OFF | 2006/12/01 14:16 |
| S28 | 27 | polyurethane near4 mix same (cure or dry) same (sheet or base or core) same material | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 12:41 |
| S29 | 3661 | polyurethane same (cure or dry) same (sheet or base or core) same material | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 12:42 |
| S30 | 784 | polyurethane with (cure or dry) same (sheet or base or core) with material | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 12:42 |
| S31 | 561 | polyurethane with (cure or dry) same (sheet or core) with material | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 13:29 |
| S32 | 57970 | "84"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 13:22 |
| S33 | 1 | S31 and S32 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 13:22 |

| | T | | T | | | |
|-----|------|--|---|----|----|------------------|
| S34 | 983 | polyurethane with (cure or dry) same (sheet or core or base or substrate) with material | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 13:23 |
| S35 | 1 | S32 and S34 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 13:24 |
| S36 | 20 | S34 and (dampen\$3 or reduction or reduc\$3 or absorb\$3) near5 (vibrat\$3 or strik\$3 or beat\$3 or hit\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:52 |
| S37 | 12 | polyurethane near4 mix with (cure or dry) same (sheet or core or base or substrate) same material | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:00 |
| S38 | 22 | polyurethane near4 mix with (cure or dry) same (sheet or core or base or substrate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 13:40 |
| S39 | 138 | polyurethane near4 mix with (cure or dry) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 13:44 |
| S40 | 64 | polyurethane with (cure or dry) same sandwich | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 13:58 |
| S41 | 2241 | polyurethane same sandwich | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 13:59 |

| | | | | | | • |
|-----|-----|---|---|------|-----|------------------|
| S42 | 17 | polyurethane near5 mix same sandwich | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:15 |
| S43 | 174 | (polyolefine or poylester or polyethylene or polyurethane) with (cure or dry) same sandwich | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 15:54 |
| S44 | 127 | polyethylene with (coat\$3 or melt\$3) near4 (paper or metal\$3) same sandwich | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:15 |
| S45 | 9 | polyurethane with (coat\$3 or melt\$3) near4 (paper or metal\$3) same sandwich | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:37 |
| S46 | 47 | ("3244571" "3370117" "3709966" "3746610" "3790422" "3793414" "3816233" "3859404" "4167612" "4173505" "4241189" "4243625" "4265965" "4302272" "4328368" "4438220" "4438221" "4443286" "4458034" "4561917" "4591469" "4595551" "4618629" "4666646" "4683246" "4839393" "5045389" "5060351" "5185380" "5204040" "5286321" "5292462" "5418257" "5478865" "5520873" "5532050" "5531849" "5610207" "5643517" "5736585" "RE32032").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/12/04 14:18 |
| S47 | 2 | ("6623676").URPN. | USPAT | OR . | OFF | 2006/12/04 14:20 |
| S48 | 65 | ("3624909").URPN. | USPAT | OR | OFF | 2006/12/04 14:23 |
| S49 | 263 | polyurethane with (paper or metal\$3) same sandwich | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:26 |

| S50 | 143 | polyurethane with (paper or metal\$3) with sandwich | US-PGPUB; USPAT; | OR | ON | 2006/12/04 14:26 |
|-----|------|---|---|----|-----------------|------------------|
| | | | USOCR; EPO; JPO; DERWENT; IBM_TDB | | | |
| S51 | 3363 | polyurethane with (coat\$3 or melt\$3) near4 (paper or metal\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON ⁻ | 2006/12/04 14:32 |
| S52 | 2 | S32 and S51 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2006/12/04 14:31 |
| S53 | 25 | S32 and polyurethane with (coat\$3 or melt\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:32 |
| S54 | 780 | polyurethane with (coat\$3 or melt\$3) near4 (paper or metal\$3) same composition | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:38 |
| S55 | 1005 | (patch or pad or board or layer) same polyurethane with (coat\$3 or melt\$3) near4 (paper or metal\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:39 |
| S56 | 202 | (patch or pad or board or layer or wrap\$3) same polyurethane with (coat\$3 or melt\$3) near4 (paper or metal\$3) same (composit\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:43 |
| S57 | 193 | (patch or pad or board or layer or wrap\$3) same polyurethane near5 coated near3 (paper or metal\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:51 |

| S58 | 122 | (patch or pad or board or layer or wrap\$3) same polyurethane near5 coated near3 (paper) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2006/12/04 14:52 |
|-----|-----|--|---|------|-----------------|------------------|
| S59 | 1 | (dampen\$3 or reduction or reduc\$3 or absorb\$3) near5 (vibrat\$3 or strik\$3 or beat\$3 or hit\$4) and polyurethane near5 coated near3 (paper) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:54 |
| S60 | 160 | (dampen\$3 or reduction or reduc\$3 or absorb\$3) near5 (vibrat\$3 or . strik\$3 or beat\$3 or hit\$4) and polyurethane near5 coated | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:54 |
| S61 | 0 | (dampen\$3 or reduction or reduc\$3 or absorb\$3) near5 (vibrat\$3 or strik\$3 or beat\$3 or hit\$4) and polyurethane with (paper) with sandwich | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON _. | 2006/12/04 14:55 |
| S62 | 12 | (dampen\$3 or reduction or reduc\$3 or absorb\$3) near5 (vibrat\$3 or strik\$3 or beat\$3 or hit\$4) and polyurethane with (paper) with coat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 14:58 |
| S63 | 90 | (dampen\$3 or reduction or reduc\$3 or absorb\$3) near5 (sound) and polyurethane with (paper) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 15:01 |
| S64 | 15 | (dampen\$3 or reduction or reduc\$3 or absorb\$3) near5 (sound) and polyurethane with (paper) with coated | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | O'R | ON | 2006/12/04 15:02 |
| S65 | 703 | (dampen\$3 or reduction or reduc\$3 or absorb\$3) and polyurethane with (paper) with coated | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 15:02 |

| S66 | 34 | (dampen\$3 or reduction or reduc\$3 or absorb\$3) near5 sound and polyurethane near6 (paper) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 15:05 |
|-----|------|--|---|----|------|------------------|
| S67 | 275 | polyurethane near4 coated near6 (paper) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/04 15:05 |
| S68 | 193 | (drum adj head or drumhead) same (damp\$3 or patch) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 14:15 |
| S69 | 12 | (drum adj head or drumhead) and damp\$3 same stack\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 14:23 |
| S70 | 16 | damp\$3 same stack\$3 with (two or plurality) near4 (pad or patch) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2007/05/02 14:23 |
| S71 | 1649 | damp\$3 same stack\$3 with (two or plurality) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 14:24 |
| S72 | 3 | (drum adj head or drumhead) and S71 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 14:23 |
| S73 | 13 | (drum adj head or drumhead) and damp\$3 same (stack\$3 or layer\$3 or overlap\$4) with (two or plurality or multiple) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 14:26 |

| S74 | 1 | resilient with oil adj free with adhesive | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/02 15:39 |
|-----|-------|---|---|------|-----|------------------|
| S75 | 2 | ("5986196").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/02 15:48 |
| S76 | 9 | polycarbonate with oil adj free | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2007/05/02 16:01 |
| S77 | 2517 | polycarbonate with oil | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 16:00 |
| S78 | 852 | polycarbonate near7 oil | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 16:00 |
| S79 | 58357 | "84"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/02 16:01 |
| S80 | 0 | S78 and S79 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR : | OFF | 2007/05/02 16:01 |
| S81 | 0 | S77 and S79 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/02 16:01 |

| S82 | 27 | damp\$4 with oil adj free | US-PGPUB; | OR | ON | 2007/05/02 16:06 |
|-----|-----|---|---|----|-----|------------------|
| | | | USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | | · | · |
| S83 | 3 | (drum adj head or drumhead) and damp\$4 with polyurethane | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 16:10 |
| S84 | 180 | damp\$4 with (pad or patch or member) with polyurethane | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 16:11 |
| S85 | 2 | S79 and S84 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 16:11 |
| S86 | 63 | (oil or wet or moisture) near4 (free or out) with damp\$3 with (pat or patch or member or element) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/03 09:54 |
| S87 | 6 | (oil or wet or moisture) near4 (free or out) with material same damp\$3 with (pat or patch or member or element) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/03 09:57 |
| S88 | 0 | (oil or wet or moisture) with (drumhead or drum adj head) same damp\$3 with (pat or patch or member or element) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/03 09:58 |
| S89 | | (oil or wet or moisture) with (drumhead or drum adj head) same damp\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/03 09:59 |

| S90 | 25656 | (oil or wet or moisture) with damp\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/03 09:59 |
|-----|-------|---------------------------------------|---|----|-----|------------------|
| S91 | 58363 | "84"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/03 10:00 |
| S92 | 53 | S90 and S91 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/03 10:00 |
| S93 | 2 | ("4325280").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/03 11:04 |